

NJ Phillips Backpacks (5L WX185)(2.5L WX46)(5L SP1212) Draw-Offs (WX1606)(WX1155)



- **WX46** – 2.5 Litre rigid backpack to suit 6mm (1/4") and 9mm (3/8") bore feed tubes, plus straps and feed tube adaptor kit.
- **WX185** – 5 Litre rigid backpack to suit 6mm (1/4") and 9mm (3/8") bore feed tubes, plus straps and feed tube adaptor kit.
- **SP1212** – 5 Litre fully-collapsible backpack includes caps to suit 6mm (1/4") and 9mm (3/8") bore feed tubes, plus straps.
- **WX1155** – Combination upright and inverted vented draw-off to fit 2.5 Litre and 5 Litre containers with 6mm (1/4") or 9mm (3/8") feed tube.
- **WX1606** – Metal spigot with 4mm (3/16") and 6mm (1/4") barb.

This unit is designed for use with NJ Phillips 2.5 and 5 Litre containers. No responsibility will be accepted by the manufacturer should this draw off be used for any other purpose.

Instructions: For use with 2.5 & 5 Litre containers

1. System used with Backpack in the UPRIGHT position.

When using this system with a 9mm Bore Connecting Tube the cap spigot should be cut at this point.

The entire assembly is required for use with the NJ Phillips 5 Litre Container. For use with the 2.5 Litre Container, 65mm should be cut from the Draw Off Tube (5) at an angle of 15°.

2. System used with Backpack in the INVERTED position.

Before inverting backpack, remove draw off tube from the draw off cap assembly. Then re-install the draw off cap, and ensure cap seal is engaged to prevent leakage.

3. Make sure the cap is kept clean, as foreign matter will affect the operation of the air valve.

